

RIVAS ET AL - 1  
10/668,905

Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

Claim 1 (Currently Amended): A light comprising:

- a) a housing;
- b) a plurality of LED lights coupled in an array inside said housing;
- c) a heat sink disposed in said housing, wherein said plurality of LED lights are disposed in said heat sink;
- d) a reflector which is dome shaped, coupled to said housing wherein said reflector is for reflecting light from said plurality of LED lights out of said housing.

2. (Canceled)

RIVAS ET AL - 1  
10/668,905

3. (Previously Presented) The device as in claim 1, wherein said housing is substantially tubular and includes at least one translucent section which allows light to flow therefrom.

4. (Previously Presented) The device as in claim 3, wherein said reflector has a surface that is substantially light reflecting and wherein light from said LED array is reflected off of said surface.

5. (Previously Presented) The device as in claim 4, wherein a first LED array is coupled to a first end of said housing and a second LED array is coupled to a second end of said housing.

6. (Previously Presented) The device as in claim 3, wherein said housing has a first section that is substantially reflecting and a second section that is substantially translucent.

7. (Previously Presented) The device as in claim 3, wherein said housing is substantially bowl shaped.

RIVAS ET AL - 1  
10/668,905

8. (Previously Presented) The device as in claim 3, further comprising a film made from prismatic lenses for reflecting and amplifying light emitted from said LED lights.

9. (Canceled)

10. (Currently Amended) The device as in claim 9 1, wherein said heat sink is in the form of a flange extending radially out from said light housing.

11. (Previously Presented) The device as in claim 10, wherein said light housing is adapted to receive a plurality of LED arrays each coupled into said housing with each of said LED arrays being set so that said LED lights shine at different angles.

12. (Previously Presented) The device as in claim 1, wherein said reflector is shaped as an elongated rounded element.

13. (Previously Presented) The device as in claim 3, wherein said LED lights in said LED array are aligned to direct light along a longitudinal axis of said housing.

RIVAS ET AL - 1  
10/668,905

14. (Previously Presented) The device as in claim 3, wherein at least one of said LED lights in said LED array are formed at an angle in relation to a longitudinal axis of said housing.

15. (Currently Amended) A light comprising:

a) a housing;

b) a plurality of LED lights; and

c) at least one collimating lens for collimating light sent from said LED light array;

d) at least one endcap housing coupled to said housing, said endcap housing in the form of a heatsink wherein said ~~at least one LED array~~ plurality of LED lights and said at least one collimating lens are coupled into said endcap housing;

e) at least one spherical reflector disposed in said housing for reflecting light sent from said at least one collimating lens

RIVAS ET AL - 1  
10/668,905

out of said housing to create a uniform light distribution pattern.

16. (Canceled)

17. (Canceled)

18. (Previously Presented) The device as in claim 15, wherein said at least one heatsink is in the form of a flange extending radially out from said at least one endcap housing.

19. (Previously Presented) The device as in claim 15, wherein said endcap housing is adapted to receive a plurality of LED arrays with LED lights from at least a first set of LED arrays being set at an angle that is different than an angle of a set of lights in a second LED array.

20. (Canceled)

21. (Canceled)

22. (Canceled)

23. (Canceled)

24. (Canceled)

RIVAS ET AL - 1  
10/668,905

25. (Canceled)

26. (Canceled)

27. (Previously Presented) A light comprising:

a) a housing, wherein said housing is substantially tubular and includes at least one translucent section which allows light to flow therefrom;

b) a plurality of LED lights coupled in an array inside said housing;

c) a heat sink disposed in said housing, wherein said plurality of LED lights are disposed in said heat sink

d) a reflector, coupled to said housing wherein said reflector is for reflecting light from said plurality of LED lights out of said housing.

28 (Cancelled)

RIVAS ET AL - 1  
10/668,905

29. (Canceled)

30. (Currently Amended). A light comprising:

a) an elongated housing;

b) a plurality of LED lights disposed in said housing;

c) a reflector disposed in said housing;

d) a light distributing film in the form of a plurality of prismatic lenses disposed on an exterior surface of said housing, said light distributing film for creating a substantially uniform distribution of light outside of said housing.

31. (Currently Amended) The light as in claim ~~29~~ 27, wherein said light distributing film is formed from a plurality of prismatic lenses.